

# DC Contactor

# CZW Series DC Contactor

## USES

This product for electric vehicles, telecommunication equipment, engineering machinery, car batteries, electric forklift trucks, trains, ships, electronic control systems such as uninterruptible power supply.

## PRODUCT DETAIL LIST

(Total 42 kinds)













	<p>Product name: DC Contactor Product type: CZW50A Rated load current: 50A Contact form: 1 NO Coil power: 5-10 W</p>	1
	<p>Product name: DC Contactor Product type: CZW100A Rated load current: 100A Contact form: 1 NO Coil power: 8-13 W</p>	2
	<p>Product name: DC Contactor Product type: CZWB100A Rated load current: 100A Contact form: 1 NC Coil power: 14-23 W</p>	3
	<p>Product name: DC Contactor Product type: CZWH100A Rated load current: 100A Contact form: 1 NO 1 NC Coil power: 14-23 W</p>	4
	<p>Product name: DC Contactor Product type: CZWH100A-T Rated load current: 100A Contact form: 1 NO 1 NC Convert (SPDT) Coil power: 14-23 W</p>	5
	<p>Product name: DC Contactor Product type: CZWH100A-2T Rated load current: 100A Contact form: Convert the two groups (DPD) Coil power: 14-23 W</p>	6
	<p>Product name: DC Contactor Product type: CZWP100A Rated load current: 100A Contact form: 1 NO Coil power: 8-25 W</p>	7

	Product name: DC Contactor Product type: CZWJ100A Rated load current: 100A Contact form: 2 NO Coil power: 14-23 W	8
	Product name: DC Contactor Product type: CZWJ100A-2T Rated load current: 100A Contact form: 4 NO Coil power: 14-23 W	9
	Product name: DC Contactor Product type: CZWT150A Rated load current: 150A Contact form: Convert the two groups (DPD 1) Coil power: 14-23 W	10
	Product name: DC Contactor Product type: CZW200A Rated load current: 200A Contact form: 1 NO Coil power: 12-18 W	11
	Product name: DC Contactor Product type: CZWB200A Rated load current: 200A Contact form: 1 NC Coil power: 20-35 W	12
	Product name: DC Contactor Product type: CZWH200A Rated load current: 200A Contact form: 1 NO 1 NC Coil power: 20-35 W	13
	Product name: DC Contactor Product type: CZWH200A-T Rated load current: 200A Contact form: 1 NO 1 NC Convert (SPDT) Coil power: 20-35 W	14
	Product name: DC Contactor Product type: CZWH200A-2T Rated load current: 200A Contact form: Convert the two groups (DPD 1) Coil power: 20-35 W	15

	<p>Product name: DC Contactor Product type: CZWT200A Rated load current: 200A Contact form: Convert the two groups (DPDT) Coil power: 20-35 W</p>	16
	<p>Product name: DC Contactor Product type: CZWJ200A Rated load current: 200A Contact form: 2 NO Coil power: 20-35 W</p>	17
	<p>Product name: DC Contactor Product type: CZWJ200A-2T Rated load current: 200A Contact form: 4 NO Coil power: 20-35 W</p>	18
	<p>Product name: DC Contactor Product type: CZW300A Rated load current: 300A Contact form: 1 NO Coil power: 12-18 W</p>	19
	<p>Product name: DC Contactor Product type: CZW400A Rated load current: 400A Contact form: 1 NO Coil power: 13-30 W</p>	20
	<p>Product name: DC Contactor Product type: CZWB400A Rated load current: 400A Contact form: 1 NC Coil power: 22-40 W</p>	21
	<p>Product name: DC Contactor Product type: CZWH400A Rated load current: 400A Contact form: 1 NO 1 NC Coil power: 22-40 W</p>	22
	<p>Product name: DC Contactor Product type: CZWH400A-T Rated load current: 400A Contact form: 1 NO 1 NC Convert (SPDT) Coil power: 22-40 W</p>	23

				<p>Product name: DC Contactor Product type: CZWH400A-2T Rated load current: 400A Contact form: Convert the two groups (DPD T) Coil power: 22-40 W</p> <p style="text-align: right;">24</p>
				<p>Product name: DC Contactor Product type: CZW152A Rated load current: 150A Contact form: 1 NO Coil power: 14-23 W</p> <p style="text-align: right;">25</p>
				<p>Product name: DC Contactor Product type: CZW252A Rated load current: 250A Contact form: 1 NO Coil power: 20-35 W</p> <p style="text-align: right;">26</p>
				<p>Product name: DC Contactor Product type: CZW352A Rated load current: 350A Contact form: 1 NO Coil power: 20-35 W</p> <p style="text-align: right;">27</p>
				<p>Product name: DC Contactor Product type: CZW600A Rated load current: 600A Contact form: 1 NO Coil power: 20-45 W</p> <p style="text-align: right;">28</p>
				<p>Product name: DC Contactor Product type: CZW800A Rated load current: 800A Contact form: 1 NO Coil power: 20-45 W</p> <p style="text-align: right;">29</p>
				<p>Product name: DC Contactor Product type: CZW1600A Rated load current: 1600A Contact form: 1 NO Coil power: 20-45 W</p> <p style="text-align: right;">30</p>
				<p>Product name: DC Contactor Product type: CZW2000A Rated load current: 2000A Contact form: 1 NO Coil power: 20-45 W</p> <p style="text-align: right;">31</p>

				<p>Product name: DC Contactor Product type: CZW3000A Rated load current: 3000A Contact form: 1 NO Coil power: 20-45 W</p> <p style="text-align: right;">32</p>
				<p>Product name: Magnetic Holding DC Contactor Product type: CZW50A-K Rated load current: 50A Contact form: 1 Circuit</p> <p style="text-align: right;">33</p>
				<p>Product name: Magnetic Holding DC Contactor Product type: CZW100A-K Rated load current: 100A Contact form: 1 Circuit</p> <p style="text-align: right;">34</p>
				<p>Product name: Magnetic Holding DC Contactor Product type: CZW200A-K Rated load current: 200A Contact form: 1 Circuit</p> <p style="text-align: right;">35</p>
				<p>Product name: Magnetic Holding DC Contactor Product type: CZW400A-K Rated load current: 400A Contact form: 1 Circuit</p> <p style="text-align: right;">36</p>
				<p>Product name: Magnetic Holding DC Contactor Product type: CZW1600A-K Rated load current: 1600A Contact form: 1 Circuit</p> <p style="text-align: right;">37</p>
				<p>Product name: Magnetic Holding DC Contactor Product type: CZW2000A-K Rated load current: 2000A Contact form: 1 Circuit</p> <p style="text-align: right;">38</p>
				<p>Product name: Magnetic Holding DC Contactor Product type: CZW3000A-K Rated load current: 3000A Contact form: 1 Circuit</p> <p style="text-align: right;">39</p>

				<p>Product name: Magnetic Holding DC Contactor Product type: CZWH1600A-K Rated load current: 1600A Contact form: 2 Circuit</p> <p style="text-align: right; background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 5px;">40</p>
				<p>Product name: Magnetic Holding DC Contactor Product type: CZWH2000A-K Rated load current: 2000A Contact form: 2 Circuit</p> <p style="text-align: right; background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 5px;">41</p>
				<p>Product name: Magnetic Holding DC Contactor Product type: CZWH3000A-K Rated load current: 3000A Contact form: 2 Circuit</p> <p style="text-align: right; background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 5px;">42</p>

-- The end --